

Lighting Fixture Schedule					
Mark	Number Of Lamps And Wattage	Manufacturer	Catalog Number	Remarks	Manufacturer's Equal
ALV	(1) 50MR16 FLD	OMEGA LIGHTING	OM4 50MR16LV RADJ45 BK FF ET120 OMMR16LS	USHIO 10,000 HR LAMP	KIRLIN, PORTFOLIO
BOL	(1) 39W T8 G12 MH	BEGA	8-H9MH		
CV4	(1) T8 32W 4'	DAYBRITE	CVCA 1 32 4 UNV 1/1 DC		COOPER, LITHONIA
DFD	(1) 32W TRT	DAYBRITE	OM61H42PLTCSDDCPOLY-120/277	RECESSED CAN	COOPER, LITHONIA
DL	(1) 32W TRT	DAYBRITE	OM61H42PLTCSDDCPOLY-120/277	RECESSED CAN	COOPER, LITHONIA
DLD	(1) 32W TRT	DAYBRITE	OM61H42PLTCSDDCPOLYDX1-120	RECESSED CAN-W/ DIMMING BALLAST	COOPER, LITHONIA
DLD5	(2) 32W TRT	INFINITY	PH75-242T-EB-GX24Q-4-CS-CGS/AC-LD-YOKE-BH-VOLTAGE	DOWNLIGHT W/ DECORATIVE FROSTED DISK CLEAR CENTER	KIRLIN, PORTFOLIO
DLG	(1) 32W TRT	DAYBRITE	OM61H42PLTCSDDCPOLY-GTD-120/277	RECESSED CAN-W/ GTD	COOPER, LITHONIA
DLW	(1) T5 HO 24W	FOCAL POINT	FAVA CL 1T5HO 1C 120 S F WH Z	WALL WASHER-VERIFY CLG MOUNTING FLANGE	PEERLESS, PINNACLE
DSK	(1) 42W TRT	SCOTT	53040-1C42-PT-TPL	WALL MOUNTED	ADVENT, SHAPER
EP	(3) 32W T8	KENALL	MLHA12-48-F-MV-PP-	1X4 SURFACE WET LOCATION, VANDAL PROOF	FAILSAFE, MORELITE
EX1	LED	DAYBRITE	55LA112/27BR	SINGLE FACE EXIT	COOPER, LITHONIA
EX1 WP	LED	DAYBRITE	55LA112/27BR	SINGLE FACE EXIT - WEATHER PROOF	COOPER, LITHONIA
EX2	LED	DAYBRITE	55LA212/27BR	DOUBLE FACE EXIT	COOPER, LITHONIA
LEDR	LED SWIFT	1 LIGHT	T-24-X28-5-XX-NC-00	COVE MOUNTED LED ROPE LIGHT. PROVIDE POWER SUPPLY AND MOUNT ABOVE DROPPED CEILING	
P30	(4) 42W Triple, 4 Pin GX 24q-4Base, FLR (2)2FC540/22	VISA	CP4270-4TF42-2FC540/22	30" DIA BOWL - VERIFY PENDANT LENGTH	ADVENT, SHAPER
P36	(8) 42W Triple, 4 Pin GX 24q-4Base, FLR	VISA	CP4276-8TF42-2TF42	36" DIA BOWL - VERIFY PENDANT LENGTH	ADVENT, SHAPER
PM	LED WHITE (1) MR16 50W	VISA	CP5201-LED WHT/1MR16	4" DIA 24" LONG CUSTOM	ADVENT, SHAPER
PS	LED WHITE (1) MR16 50W	VISA	CP5201-LED WHT/1MR16	4" DIA 8" LONG CUSTOM	ADVENT, SHAPER
SCA	(1) 42W TRT	VISA	CB5120-GFA-CB-10.5"W x 24.125"H x 7.5"D	BRUSHED ALUMINUM FINISH	ADVENT, SHAPER
SCB	(3) 32W TRT	KENALL	MR17FD-PP-XX-42P-3-DV	17" SURFACE DISC	FAILSAFE, MORELITE
SCL	(1) 24W T5HO	PINNACLE	E2A-1T5HO-2-NFN-UNV-1C-W	RECESSED CEILING SLOT OVER CLOSET WITH MUD IN FRAME/FLANGE	FOCAL POINT, NEORAY
SH	(1) 32W TRT	DAYBRITE	OM61H42PLTSRDSHWR-120/277	RECESSED CAN (SHOWERS)	COOPER, LITHONIA
SLL	18W LED	BEGA	2315 LED		
ST	(2) 32W T8	H E WILLIAMS	76-4-232-WG-7611-EB2-BD-UNV	STRIP LIGHT WITH WIRE GUARD	COOPER, LITHONIA
TR3	(3) 32W T8	H E WILLIAMS	50G-S24-322-FA12125-EB3-BD-UNV	PRISMATIC TROFFER 2X4	COOPER, LITHONIA
TRA	(3) 24W T5HO	LEDALITE	9122D1-ST-H324-S2XE	RECESSED 2X2	FOCAL POINT, NEORAY
TRF	(2) 32W T8	H E WILLIAMS	50F-S14-232-FA12125-COLD	1X4 RECESSED (FLANGED) COLD WEATHER BALLAST	COOPER, LITHONIA
TRG	(2) 32W T8	H E WILLIAMS	50G-S14-232-FA12125-EB2-BD-UNV	1X4 RECESSED TROFFER	COOPER, LITHONIA
UC2	(1) 24W T5HO	KENALL		UNDER CABINET LIGHT WITH ROCKER SWITCH	ADVENT, SHAPER
WDE	LED	GARDOO	121-CWL-OPTICS-LED	SURFACE WEDGE - DARK SKY GTD-BRUSHED ALUMINUM FINISH	INVUE, BRUA
WOM	(1) 24W T5HO	PINNACLE	E2A-1T5HO-2-NFN-UNV-1C-W	RECESSED WALL SLOT OVER MIRROR WITH MUD IN FRAME/FLANGE	FOCAL POINT, NEORAY

FIXTURE SCHEDULE NOTES

1. ALL LIGHTING BALLASTS SHALL BE PROGRAMMED START BALLASTS.
2. ALL COMPACT FLUORESCENT LAMPS SHALL BE 4-PIN TYPE.
3. ALL FLUORESCENT LAMPS SHALL BE 3500 DEGREES KELVIN DELUX TRIPHOSPHOR.
4. ALL FIXTURE BALLASTS ARE TO BE RATED AT 120V.

